Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
1		912.20.711	**RE-Ach Digital Lock** • Finger Print, RFID, Pincode, Key Access, Mobile Access via Built-in-Bluetooth (Hafele Smart Living App) • Finish: Black • Standard Door Thickness: 38-60mm	Digital Lock	SET	24,500.00
2		912.20.408	**RE-INFORCE Digital Lock** • Finger Print, RFID, Pincode, Key Access, Mobile Access via built-in WiFi (Hafele Smart Living App) • Finish: Black • Standard Door Thickness: 36-60mm	Digital Lock	SET	31,500.00
3		912.20.409 OR 912.20.483	**RE-TWIST Digital Lock** • Finger Print, RFID, Pincode, Key Access, Mobile Access via built-in WiFi (Hafele Smart Living App) • Finish: Black • Standard Door Thickness: 36-60mm	Digital Lock	SET	46,500.00
4		499.21.226	**NOVA Digital RIM LOCK** • Finger Print, RFID, Pincode BLUETOOTH KEYS REMOTE ACCESS CONTROL VIA HÄFELE SMART LIVING APP TYPE-C USB EMERGENCY POWER SUPPLY • Finish: Dark Grey • Standard Door Thickness: 30-90mm	Digital Lock	SET	58,500.00

Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
5		912.05.653	**• RE-Mote Digital Lock** • RFID, Pincode, Bluetooth and Key Access • Finish: Rose Gold • Standard Door Thickness: 40-50mm	Digital Lock	SET	74,500.00
6		499.21.225	**ZENITH Digital Lock** • Finger Print, RFID, Pincode, Key Access, Mobile Access 2 WAY VIDEO COMMUNICATION Wi-Fi CONTROL VIA HÄFELE SMART LIVING APP TYPE-C USB EMERGENCY POWER SUPPLY • Finish: Dark Grey • Standard Door Thickness: 35-110mm	Digital Lock	SET	78,500.00
7		912.20.274 OR 912.20.489	**RE-PUSH Digital Lock** • Finger Print, RFID, Pincode, Key Access, Mobile Access via Built-in-Bluetooth (Hafele Smart Living App) • Finish: Black/Antique Copper • Standard Door Thickness: 36-60mm	Digital Lock	SET	79,500.00

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
8		499.21.224	**HORIZON Digital Lock** • 3D FACE ID, Finger Print, RFID Pincode, Key Access, Mobile Access 2 WAY VIDEO COMMUNICATION Wi-Fi CONTROL VIA HÄFELE SMART LIVING APP INNOVATIVE LED HANDLE LIGHTING TYPE-C USB EMERGENCY POWER SUPPLY • Finish: Dark Grey • Standard Door Thickness: 35-110mm	Digital Lock	SET	106,500.00
9		912.05.007	**Classical Digital Lock** • Finger Print, RFID, Pincode, Key Access, Mobile Access Wi-Fi CONTROL VIA HÄFELE SMART LIVING APP TYPE-C USB EMERGENCY POWER SUPPLY • Finish: Black Matt + Antique Copper • Standard Door Thickness: 50-150mm	Digital Lock		126,500.00
10		499.21.223	**INFINITY Digital Lock** • 3D FACE ID, PALM ID, Finger Print, RFID Pincode, Key Access, Mobile Access 2 WAY VIDEO COMMUNICATION Wi-Fi CONTROL VIA HÄFELE SMART LIVING APP INNOVATIVE LED HANDLE LIGHTING WITH 7 COLORS ADJUSTABLE DUAL BATTERY SYSTEM (Rechargeable Battery) TYPE-C USB EMERGENCY POWER SUPPLY • Finish: Dark Grey • Standard Door Thickness: 35-110mm	Digital Lock	SET	148,500.00


SL.	Image	Article No.	Product Specification	Category	U/M	MRP
11		489.94.645	• GRIP HANDLE SET • Size: 415mm (H) • For Timber doors • Suitable for DIN left and Right • Door Thickness: 38-52mm • 5 Brass keys with dimple cylinder 6-pin tumbler • Material/Finish: Zinc/Antique Brass • Mortise	GRIP HANDLE LOCK	SET	22,900.00
12		489.94.647	• GRIP HANDLE SET • Size: 415mm (H) • For Timber doors • Suitable for DIN left and Right • Door Thickness: 38-52mm • 5 Brass keys with dimple cylinder 6-pin tumbler • Material/Finish: Zinc/Black Matt • Mortise	GRIP HANDLE LOCK	SET	22,900.00
13		499.94.121	• GRIP HANDLE SET • Size: 527 x 483mm (H) • For Timber doors • Suitable for DIN left and Right • Door Thickness: 35-60mm • 5 Brass keys with dimple cylinder 10-pin tumbler • Material/Finish: Zinc/Antique Brass • Mortise	GRIP HANDLE LOCK		43,600.00
14		499.94.164	• GRIP HANDLE SET • Size: 480mm (H) • For Timber doors • Suitable for DIN left and Right • Door Thickness: 35-60mm • 5 Brass keys with dimple cylinder 10-pin tumbler • Material/Finish: Zinc/Antique Brass • Mortise	GRIP HANDLE LOCK		51,600.00

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
15		901.79.858 911.18.040 916.96.316 or 916.96.016	• Lever Handle With 240mm Long Back Plate • For Timber doors • Suitable for DIN left and Right • Door Thickness: 38-60mm • Material/Finish: Zinc/Satin Nickel • Mortise • Cylinder	Lever Handle	SET	9,715.00
16		901.79.854 911.18.040 916.96.316 or 916.96.016	• Lever Handle With 240mm Long Back Plate • For Timber doors • Suitable for DIN left and Right • Door Thickness: 38-60mm • Material/Finish: Zinc/Satin Nickel • Mortise • Cylinder	Lever Handle	SET	9,715.00
17		900.99.363 (H) 911.02.124 (M) 916.88.818 (CT+K) 916.88.848 (CK+K)	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: Brass/Rose Gold PVD • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	14,550.00
18		900.99.362 911.02.124 916.64.291	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: Brass/Matt Black • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	11,600.00
19		900.99.365 (H) 911.02.124 (M) 916.96.316 (CT+K) 916.96.016 (CK+K)	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: Brass/Nickel Matt • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	11,250.00

Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
20		900.79.349(H) 911.02.124 (M) 916.88.812 (CT+K) 916.88.846 (CK+K)	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: Brass/Anthracite • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	13,050.00
21		900.78.945 (H) 911.02.124 (M) 916.88.812 (CT+K) 916.88.846 (CK+K)	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: Brass/Anthracite • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	13,050.00
22		900.78.942 (H) 911.02.124 (M) 916.88.811 (CT+K) 916.88.844 (CK+K)	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: Brass/Antique Brass • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	13,050.00
23		900.79.343 (H) 911.02.124 (M) 916.88.818 (CT+K) 916.88.848 (CK+K)	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: Brass/Rose Gold PVD • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	14,850.00
24		900.79.338 (H) 911.02.124 (M) 916.88.811 (CT+K) 916.88.844 (CK+K)	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: Brass/Antique Brass Matt • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	14,850.00
25		901.79.570 (H) 911.02.124 (M) 916.88.811 (CT+K) 916.88.844 (CK+K)	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: Zinc Alloy/ Antique Brass • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	11,850.00
26		901.79.577 (H) 911.02.124(M) 916.64.144 (CT+K) 916.64.084 (CK+K)	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: Zinc Alloy/ CP White • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	11,850.00

Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
27		901.79.578 (H) 911.02.124(M) 916.64.144 (CT+K) 916.64.084 (CK+K)	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: Zinc Alloy/ CP Black • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	11,850.00
28		901.79.585 (H) 911.02.124 (M) 916.88.811 (CT+K) 916.88.844 (CK+K)	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: Zinc Alloy/Antique Brass • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	13,150.00
29		901.79.587 (H) 911.02.124 (M) 916.64.291 (CT+K)	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: Matt Black • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	13,150.00
30		901.79.589 (H) 911.02.124 (M) 916.88.811 (CT+K) 916.88.844 (CK+K)	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: Zinc Alloy/Antique Brass • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	14,950.00
31		900.99.596 (H) 911.02.124 (M) 916.64.291 (CT+K)	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: Matt Black • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	14,950.00
32		900.78.299 (H) 911.02.124 (M) 916.64.291 (CT+K	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: Pure Brass/Matt Black • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	20,950.00
33		900.92.503 (H) 911.02.124 (M) 916.64.291 (CT+K	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: Zinc Alloy/Matt Black • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	20,950.00

Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
34		902.92.974 911.77.260 916.96.316/016	• Hollow Lever Handle For Flush Door • Door Thickness: 35-50mm • Material/Finish: SS Matt • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	7,150.00
35		903.78.186 (H) 911.02.124 (M) 916.96.316 (CT+K) 916.96.016 (CK+K)	• Hollow Lever Handle • Door Thickness: 35-50mm • Material/Finish: SS Matt • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	8,250.00
36		903.92.606 (H) 911.02.124 (M) 916.96.316 (CT+K) 916.96.016 (CK+K)	• Hollow Lever Handle • Door Thickness: 35-50mm • Material/Finish: SS Matt • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	7,150.00
37		903.92.596 (H) 911.02.124 (M) 916.96.316 (CT+K) 916.96.016 (CK+K)	• Hollow Lever Handle • Door Thickness: 35-50mm • Material/Finish: SS Matt • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	7,150.00
38		903.99.009 (H) 911.02.124 (M) 916.96.316 (CT+K) 916.96.016 (CK+K)	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: SS Matt • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	7,150.00
39		903.92.566 (H) 911.02.124 (M) 916.96.316 (CT+K) 916.96.016 (CK+K)	• Hollow Lever Handle • Door Thickness: 35-50mm • Material/Finish: SS Matt • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	7,150.00
40		903.92.576 (H) 911.02.124 (M) 916.96.316 (CT+K) 916.96.016 (CK+K)	• Hollow Lever Handle • Door Thickness: 35-50mm • Material/Finish: SS Matt • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	7,150.00
41		903.92.586 (H) 911.02.124 (M) 916.96.316 (CT+K) 916.96.016 (CK+K)	• Hollow Lever Handle • Door Thickness: 35-50mm • Material/Finish: SS Matt • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	7,150.00
42		903.92.556 (H) 911.02.124 (M) 916.96.316 (CT+K) 916.96.016 (CK+K)	• Hollow Lever Handle • Door Thickness: 35-50mm • Material/Finish: SS Matt • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	7,150.00

Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
43		903.92.616 (H) 911.02.124 (M) 916.96.316 (CT+K) 916.96.016 (CK+K)	• Hollow Lever Handle • Door Thickness: 35-50mm • Material/Finish: SS Matt • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	7,350.00
44		903.92.676 (H) 911.02.124 (M) 916.96.316 (CT+K) 916.96.016 (CK+K)	• Hollow Lever Handle • Door Thickness: 35-50mm • Material/Finish: SS Matt (304) • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	8,350.00
45		903.92.686 (H) 911.02.124 (M) 916.96.316 (CT+K) 916.96.016 (CK+K)	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: SS Matt (304) • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	10,450.00
46		903.92.636 (H) 911.02.124 (M) 916.96.316 (CT+K) 916.96.016 (CK+K)	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: SS Matt • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	8,650.00
47		903.92.666 (H) 911.02.124 (M) 916.96.316 (CT+K) 916.96.016 (CK+K)	• Solid Lever Handle • Door Thickness: 35-50mm • Material/Finish: SS Matt • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	10,450.00
48		903.99.185 (H) 911.02.124 (M) 916.96.316 (CT+K) 916.96.016 (CK+K)	• Solid Lever Handle • Door Thickness: 40-52mm • Material/Finish: SS Matt (316) • Rose • Escutcheon • Mortise • Cylinder	Lever Handle	SET	14,150.00
49		909.00.721	• Spindle for Lever Handle 8 X 100 Mm	Spare Parts	PC	250.00
50		911.02.149	• Mortise Toilet lock • 24mm forend • 72mm centres • 55mm backset	Mortise	PC	2,870.00
51		911.23.351	• Mortise Latch Lock • 55mm backset • 24mm forend • Case size: 84mm X 86mm	Mortise	PC	1,900.00

Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
52		911.18.040	• Multi Bolt Mortise Cylinder Lock • 60mm backset • 24mm forend • 85mm centres	Mortise	PC	1,950.00
53		911.02.124	• Mortise Cylinder Lock • 55mm backset • 24mm forend • 72mm centres • Case size: 84mm X 165mm	Mortise	PC	2,100.00
54		911.77.260	• Narrow frame mortise lock for profile cylinder • Backset: 30 mm	Mortise	PC	2,100.00
55		911.22.551	• Mortise Cylinder Deadlock • 55mm backset • 24mm forend • Case Size: 84mm x 95mm	Mortise	PC	2,350.00
56		911.26.306	• Hook Lock For Sliding • 55mm Backset	Mortise	PC	3,150.00
57		499.10.253	• Mortise Sliding Lockcase (Hook Bolt) • 45mm Backset With • Oval Flush Handle	Mortise	SET	6,650.00
58		911.75.131	• Mortise lock for sliding tubular door frames • Backset (a): 20 mm	Mortise	PC	12,300.00
59		916.96.316	• Euro Profile Thumb Turn Cylinder • Size: 35.5+35.5=71mm • Finish: Nickel Matt	Cylinder	PC	1,950.00

Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
60		916.63.95911 or 916.96.016	• Euro Profile Double Cylinder • Size: 35.5+35.5=71mm • Finish: Nickel Matt	Cylinder	PC	1,950.00
61		916.88.464	• Euro Profile Double Cylinder • Size: 35+35=70mm • Finish: Nickel Matt	Cylinder	PC	3,850.00
62		916.88.440	• Euro Profile Thumb Turn Cylinder With Dimple Key • Size: 35+35=70mm • Finish: Nickel Matt	Cylinder	PC	3,850.00
63		916.88.891	• Euro Profile Toilet Cylinder (No key) • Size: 35+35=70mm • Finish: Nickel Matt	Cylinder	PC	1,950.00
64		916.88.818	• Euro Profile Thumb Turn Cylinder • Size: 35+35=70mm • Finish: Rose Gold PVD	Cylinder	PC	3,750.00
65		916.88.848	• Euro Profile Double Cylinder • Size: 35+35=70mm • Finish: Rose Gold PVD	Cylinder	PC	3,750.00
66		916.88.812	• Euro Profile Thumb Turn Cylinder • Size: 35+35=70mm • Finish: Anthracite	Cylinder	PC	3,750.00
67		916.88.846	• Euro Profile Double Cylinder • Size: 35+35=70mm • Finish: Anthracite	Cylinder	PC	3,750.00
68		916.64.143	• Euro Profile Thumb Turn Cylinder • Size: 35+35=70mm • Finish: Antique Brass	Cylinder	PC	3,750.00

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
69		916.64.083	• Euro Profile Double Cylinder • Size: 35+35=70mm • Finish: Antique Brass	Cylinder	PC	3,750.00
70		916.88.811	• Euro Profile Thumb Turn Cylinder With Key • Size: 35+35=70mm • Finish: Antique Brass	Cylinder	PC	3,750.00
71		916.88.844	• Euro Profile Double Cylinder With Key • Size: 35+35=70mm • Finish: Antique Brass	Cylinder	PC	3,750.00
72		916.64.144	• Euro Profile Thumb Turn Cylinder • Size: 35+35=70mm • Finish: Chrome Polished	Cylinder	PC	2,650.00
73		916.64.084	• Euro Profile Double Cylinder • Size: 35+35=70mm • Finish: Chrome Polished	Cylinder	PC	2,650.00
74		916.64.291	• Euro Profile Thumb Turn Cylinder • Size: 35+35=70mm • Finish: Black Matt	Cylinder	PC	4,035.00
75		916.88.438	• Euro Profile Thumb Turn Cylinder With Dimple Key • Size: 35+35=70mm • Finish: Black Matt	Cylinder	PC	4,035.00
76		926.31.653	• Railway Hinge • Size: 125x28x28x4mm • Material: Brass • Finish: Anthracite	Hinge	PC	1,250.00
77		926.31.652	• Railway Hinge • Size: 125x28x28x4mm • Material: Brass • Finish: Antique Brass	Hinge	PC	1,250.00

Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
78		926.31.651	• Railway Hinge • Size: 125x28x28x4mm • Material: Brass • Finish: Black Matt	Hinge	PC	1,250.00
79		926.32.160	• Ball Bearing Hinge • Size: 102x76x3mm • Knuckle Diameter: 14mm • Material: Stainless Steel (304)	Hinge	PC	880.00
80		926.32.290	• Ball Bearing Hinge • Size: 127x89x3mm • Knuckle Diameter: 14mm • Material: Stainless Steel (304)	Hinge	PC	1,050.00
81		926.32.280	• Ball Bearing Hinge • Size: 127x76x3mm • Knuckle Diameter: 14mm • Material: Stainless Steel (304)	Hinge	PC	1,040.00
82		927.97.030	• Double Action Swing Hinge • Size: 152mm • Door Weight: 40kg (3 Hinges)	Hinge	PC	2,650.00
83		924.17.122	• TECTUS TE 340 3D, Concealed Mortise Hinge • Minimum Door Thickness: 40mm • Finish: Nickel Matt • Product Material: Zinc	Hinge	PC	14,500.00
84		903.99.664	• Euro Profile Cylinder Escutcheon	Escutcheon	PC	770.00

Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
85		902.52.280	• Euro Profile Cylinder Escutcheon, Oval	Escutcheon	PC	650.00
86		902.53.922	• WC Indicator Locks • Snib & Release • (8mm Spindle)	Indicator Locks	PC	2,520.00
87		911.22.380	• Shaft Door Lock • 8mm Spindle	Mortise Locks	PC	2,050.00
88		911.59.425	• Spring Loaded Security Door Chain • Finish: SS Matt	Door Accessories	PC	2,250.00
89		911.59.156	• Security Door Guard • Finish: Satin Nickel	Door Accessories	PC	1,950.00
90		937.13.530	• Wall Mounted Door Stopper • Finish: Nickel Matt	Door Accessories	PC	880.00
91		937.01.116	• Floor Mounted Door Stopper • Finish: Nickel Matt	Door Accessories	PC	390.00
92		938.30.010	• Magnetic Door Stopper • Finish: SS Matt	Door Accessories	PC	1,250.00
93		937.53.526	• Floor Mounted Door Stopper • Finish: Nickel Matt	Door Accessories	PC	460.00

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
94		903.12.062	H Shape Back to Back Pull Handle • Height: 1500mm • Diameter: Ø32mm • Material: SS (304) • Finish: SS Matt • Door Thickness: 55mm Maximum • Suitable For Glass/Wooden Door	Pull Handle	PC	13,300.00
95		903.11.481	Pull Handle • Height x width: 475mm • Diameter: Ø25mm • Material: SS (304) • Finish: SS Polished (Anti Slip) • Thickness: 8-50mm • Suitable For Glass/Wooden Door	Pull Handle	PC	4,500.00
96		987.11.200	• Pull Plate with Pull Handle • Height x width: 300 x 100mm • Thickness: 1.5mm • Pull handle diameter: 19mm • Material: SS (304) • Finish: SS Matt	Door Accessories	PC	3,300.00
97		987.11.300	• Push Plate • Height x width: 300 x 100mm • Thickness: 1.5mm • Material: SS (304) • Finish: SS Matt	Door Accessories	PC	3,300.00
98		959.03.056	• Door Viewer • Door Thicknesses: 35–55 mm • With Flap • Angle of Vision: 200° • Door Drilling: 14 mm • Material: Brass • Finish: Satin Nickle	Door Accessories	PC	1,420.00
99		959.00.027	• Door Viewer • Door Thicknesses: 35–55 mm • With Flap • Angle of Vision: 160° • Finish: Satin Nickle	Door Accessories	PC	850.00

Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
100		931.84.419	• Concealed Door Closer • Installation: Door Leaf/Frame • Hydraulic latching action valve adjustable • Closing speed valve adjustable • DIN right hand and DIN left hand • Door width size 950 mm • Max. door weight 60 kg • Max. door opening angle 120° • Hold Open Function Enabled • Min. door panel thickness 40 mm	Door Closer	PC	15,150.00
101		931.84.439	• Concealed Door Closer • Installation: Door Leaf/Frame • Hydraulic latching action valve adjustable • Closing speed valve adjustable • DIN right hand and DIN left hand • Door width size 1100 mm • Max. door weight 80 kg • Max. door opening angle 120° • Hold Open Function Enabled • Min. door panel thickness 40 mm	Door Closer	PC	15,950.00
102		931.84.279	• Concealed Door Closer • Installation: Door Leaf/Frame • Hydraulic latching action valve adjustable • Closing speed valve adjustable • DIN right hand and DIN left hand • Door width size 850 - 950 mm • Max. door weight 60 kg • Max. door opening angle 120° • Max. hold open angle 115° • Min. door panel thickness 40 mm	Door Closer	PC	29,100.00
103		931.84.269	• Concealed Door Closer • Installation: Door Leaf/Frame • Hydraulic latching action valve adjustable • Closing speed valve adjustable • DIN right hand and DIN left hand • Door width size 850 - 950 mm • Max. door weight 80 kg • Max. door opening angle 120° • Max. hold open angle 115° • Min. door panel thickness 40 mm	Door Closer	PC	29,100.00
104		931.84.629	• Surface Mounted Door Closer • Variable closing force • Hydraulic latching action valve adjustable • Closing speed valve adjustable • For DIN right/left Hand • Door width size 750–1,100 mm • Max. door weight 80 kg • Max. door opening angle 180°	Door Closer	PC	11,550.00

Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
105		931.84.639	• Surface Mounted Door Closer • Variable closing force • Hydraulic latching action valve adjustable • Closing speed valve adjustable • For DIN right/left Hand • Door width size 750–1,100 mm • Max. door weight 80 kg • Max. door opening angle 180° • Hold open angle 70–150°	Door Closer	PC	12,750.00
106		499.30.003	• Surface Mounted Door Closer • Door width size 850–1100 mm • Max. door weight 80 kg • Built in Hold Open Function	Door Closer	PC	6,050.00
107		931.84.129	• Surface Mounted Door Closer • Variable closing force • Hydraulic latching action valve adjustable • Closing speed valve adjustable • With interlocking hold-open device • For DIN right/left Hand • Door width size 750–1,100 mm • Max. door weight 80 kg • Max. door opening angle 140° • Hold open angle 70–140°	Door Closer	PC	16,250.00
108		911.81.066	• Lever Action Flush bolt (SS304) • Size: 19 x 300 mm • Finish: Satin	Bolt	PC	3,300.00
109		911.81.685	• Tower Bolt • Size: 6" • Material/Finish: Brass/Satin Nickel	Bolt	PC	1,650.00
110		911.81.700	• Tower Bolt • Size: 12" • Material/Finish: Brass/Satin Nickel	Bolt	PC	2,950.00
111		911.81.705	• Tower Bolt • Size: 18" • Material/Finish: Brass/Satin Nickel	Bolt	PC	4,500.00
112		911.81.701	• Tower Bolt • Size: 12" • Material/Finish: Brass/Matt Black	Bolt	PC	3,150.00
113		911.81.706	• Tower Bolt • Size: 18" • Material/Finish: Brass/Matt Black	Bolt	PC	4,700.00

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
114		911.81.702	• Tower Bolt • Size: 12" • Material/Finish: Brass/Antique Brass	Bolt	PC	3,150.00
115		911.81.579	• Tower Bolt • Size: 8" • Material/Finish: Brass/Satin Nickel	Bolt	PC	1,550.00
116		911.62.158	• Dust Proof Strike Plate • Finish: Nickel Matt	Strike Plate	PC	550.00
117		911.58.259	• Rim lock • Key Type: Dimple (5) • Door Thickness: 30 - 85mm • Finish: Antique Brass	Rim Latch Lock	PC	5,900.00
118		489.10.806	• Lever Lock Handle • Suitable For: Timber Door • Door Thickness: 35 - 45mm • Material: Zinc Alloy • Finish: Antique Brass	Lever Lock Handle	PC	4,850.00
119		489.10.815	• Lever Lock Handle • Suitable For: Timber Door • Door Thickness: 35 - 45mm • Material: Zinc Alloy • Finish: Antique Copper	Lever Lock Handle	PC	4,850.00
120		489.10.812	• Lever Lock Handle • Suitable For: Timber Door • Door Thickness: 35 - 45mm • Material: Zinc Alloy • Finish: Satin Nickel	Lever Lock Handle	PC	4,850.00

Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
121		489.10.170	• Lever Lock Handle • Suitable For: Timber Door • Door Thickness: 35 - 55mm • Material: Stainless Steel (304) • Finish: SS Matt	Lever Lock Handle	PC	2,350.00
122		489.93.307	• Knob Lock With Key • Suitable For: Timber Door • Door Thickness: 35 - 45mm • Material: Brass • Finish: Antique Brass	Knob Lock		2,350.00
123		489.93.003	• Knob Lock With Key • Suitable For: Timber Door • Door Thickness: 35 - 45mm • Material: Stainless Steel • Finish: SS	Knob Lock	PC	1,950.00
124		489.93.004	• Knob Lock Without Key • Suitable For: Timber Door • Door Thickness: 35 - 45mm • Material: Stainless Steel • Finish: SS	Knob Lock	PC	2,150.00
125		489.93.303	• Knob Lock With Key • Suitable For: Timber Door • Door Thickness: 35 - 45mm • Material: Stainless Steel • Finish: Antique Copper	Knob Lock	PC	2,350.00
126		489.10.254	• Knob Lock With Key • Suitable For: Timber Door • Door Thickness: 35 - 45mm • Material: Stainless Steel • Finish: Antique Brass	Knob Lock	PC	2,450.00
127		489.10.250	• Knob Lock With Key • Suitable For: Timber Door • Door Thickness: 35 - 45mm • Material: Stainless Steel • Finish: SS Matt	Knob Lock	PC	1,950.00
128		489.10.251	• Knob Lock Without Key • Suitable For: Timber Door • Door Thickness: 35 - 45mm • Material: Stainless Steel • Finish: SS Matt	Knob Lock	PC	2,150.00

Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
129		911.83.680	Knob Lock With Key Door Thickness 30 - 45 mm Material/Finish: Stainless Steel (304)	Knob Lock	PC	1,650.00
130		911.64.274	• Dead Bolt Lock With Thumbturn • For: Timber/Steel Door • Door Thickness: 28 - 45mm • Outside: Cylinder with 6 pin Tumbler • Inside: Thumbturn • Material: Stainless Steel (304) • Finish: SS	Dead Bolt Lock	PC	3,350.00
131		911.64.278	• Dead Bolt Lock With Both Side Key • For: Timber/Steel Door • Door Thickness: 28 - 45mm • Outside: Cylinder with 6 pin Cylinder • Material: Stainless Steel (304) • Finish: SS	Dead Bolt Lock	PC	4,450.00
132		489.10.364	• Dead Bolt Lock With Both Side Key • For: Timber/Steel Door • Door Thickness: 35 - 45mm • Outside: Cylinder with 10 pin Cylinder (Dimple Keys) • Material: Brass • Finish: Antique Copper	Dead Bolt Lock	PC	4,850.00
133		489.10.365	• Dead Bolt Lock With Both Side Key • For: Timber/Steel Door • Door Thickness: 35 - 45mm • Outside: Cylinder with 10 pin Cylinder (Dimple Keys) • Material: Brass • Finish: Antique Brass	Dead Bolt Lock	PC	4,850.00
134		489.10.360	• Dead Bolt Lock With Thumbturn • For: Timber/Steel Door • Door Thickness: 35 - 45mm • Outside: Cylinder with 10 pin Cylinder (Dimple Keys) • Material: Brass • Finish: Antique Copper	Dead Bolt Lock	PC	3,950.00
135		489.10.361	• Dead Bolt Lock With Thumbturn • For: Timber/Steel Door • Door Thickness: 35 - 45mm • Outside: Cylinder with 10 pin Cylinder (Dimple Keys) • Material: Brass • Finish: Antique Brass	Dead Bolt Lock	PC	3,950.00
136		932.79.020	• Floor Spring with 90° Hold open • Size - 2 • Load Bearing Capacity: 70 KG • Door Width: 750-850mm • Cover Plate: Stainless Steel • Cycle Test: 500,000 Times	Door Closer	PC	17,780.00


Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
137		932.00.015	• Floor Spring with 90° Hold open • Size - 3 • Load Bearing Capacity: 100 KG • Door Width: 850-1000mm • Cover Plate: Stainless Steel • Cycle Test: 500,000 Times	Door Closer	PC	17,780.00
138		932.79.040	• Floor Spring with 90° Hold open • Size - 4 • Load Bearing Capacity: 120 • Door Width: 1000 - 1200mm • Cover Plate: Stainless Steel • Cycle Test: 500,000 Times	Door Closer	PC	17,780.00
139		932.79.090	• Double Action Accessories For Floor Spring • Suitable For Timber Doors	Floor Spring Accessories	SET	2,180.00
140		981.07.280	• Top Pivot with Stainless Steel Plate • For Glass Doors with Wooden Fixed Panel on Top	Glass Door Fittings Accessories	PC	1,080.00
141		981.50.020	• Top Patch for Glass Door • Door Weight: 80kg Max. • Door Width: 1100mm Max. • Suitable for: Din Right/Left • Glass Thicknes: 10 - 12mm • Finish: SS Matt	Glass Door Fittings	PC	2,980.00
142		981.50.010	• Bottom Patch for Glass Door • Door Weight: 80kg Max. • Door Width: 1100mm Max. • Suitable for: Din Right/Left • Glass Thicknes: 10 - 12mm • Finish: SS Matt	Glass Door Fittings	PC	2,980.00
143		981.50.030	• Corner Patch Lock • Suitable for: Din Right/Left • Glass Thicknes: 10 - 12mm • Finish: SS Matt	Glass Door Lock	PC	5,080.00
144		981.22.550	• Wall to Glass 180° • Glass Thickness: 8/10/12mm • Door Width: Max.800mm • Door Weight: Max. 45kg For 1 Pair • Material: Virgin Brass + SS 304 (Base Plate) • Finish: Matt Black • Certification: EN14428 • Cycle Testing: 1,00,000	Glass Hinge	Pair	11,500.00
145		981.22.552	• Glass to Glass 180° • Glass Thickness: 8/10/12mm • Door Width: Max.800mm • Door Weight: Max. 45kg For 1 Pair • Material: Virgin Brass + SS 304 (Base Plate) • Finish: Matt Black • Certification: EN14428 • Cycle Testing: 1,00,000	Glass Hinge	Pair	12,500.00


Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
146		981.22.560	• Wall to Glass 180° • Glass Thickness: 8/10/12mm • Door Width: Max.800mm • Door Weight: Max. 45kg For 1 Pair • Material: Virgin Brass + SS 304 (Base Plate) • Finish: Rose Gold • Certification: EN14428 • Cycle Testing: 1,00,000	Glass Hinge	Pair	11,500.00
147		981.22.562	• Glass to Glass 180° • Glass Thickness: 8/10/12mm • Door Width: Max.800mm • Door Weight: Max. 45kg For 1 Pair • Material: Virgin Brass + SS 304 (Base Plate) • Finish: Rose Gold • Certification: EN14428 • Cycle Testing: 1,00,000	Glass Hinge	Pair	12,500.00
148		981.22.544	• Wall to Glass 180° • Glass Thickness: 8/10/12mm • Door Width: Max.800mm • Door Weight: Max. 45kg For 1 Pair • Material: Virgin Brass + SS 304 (Base Plate) • Finish: Brushed Nickel • Certification: EN14428 • Cycle Testing: 1,00,000	Glass Hinge	Pair	10,450.00
149		981.22.545	• Wall to Glass 90° • Glass Thickness: 8/10/12mm • Door Width: Max.800mm • Door Weight: Max. 45kg For 1 Pair • Material: Virgin Brass + SS 304 (Base Plate) • Finish: Brushed Nickel • Certification: EN14428 • Cycle Testing: 1,00,000	Glass Hinge	Pair	11,550.00
150		981.22.603	• Glass to Glass 90° • Glass Thickness: 8/10/12mm • Door Width: Max.800mm • Door Weight: Max. 45kg For 1 Pair • Material: Virgin Brass + SS 304 (Base Plate) • Finish: Brushed Nickel • Certification: EN14428 • Cycle Testing: 1,00,000	Glass Hinge	Pair	12,450.00
151		981.22.546	• Glass to Glass 180° • Glass Thickness: 8/10/12mm • Door Width: Max.800mm • Door Weight: Max. 45kg For 1 Pair • Material: Virgin Brass + SS 304 (Base Plate) • Finish: Brushed Nickel • Certification: EN14428 • Cycle Testing: 1,00,000	Glass Hinge	Pair	11,550.00
152		981.22.606	• Glass to Glass 135° • Glass Thickness: 8/10/12mm • Door Width: Max.800mm • Door Weight: Max. 45kg For 1 Pair • Material: Virgin Brass + SS 304 (Base Plate) • Finish: Brushed Nickel • Certification: EN14428 • Cycle Testing: 1,00,000	Glass Hinge	Pair	12,650.00




Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
153		980.47.000	• Towel Bar with Handle • Size: 25*450 • Material: Stainless Steel • Finish: SS Matt	Glass Handle	PC	7,150.00
154		983.13.040	• Towel Bar with Handle • Size: 19*450 • Material: Stainless Steel • Finish: SS Matt	Glass Handle	PC	7,150.00
155		981.22.555	• Towel Bar with Handle • Size: 19*450 • Material: Stainless Steel • Finish: Black Matt	Glass Handle	PC	7,150.00
156		981.22.565	• Towel Bar with Handle • Size: 19*450 • Material: Stainless Steel • Finish: Rose Gold	Glass Handle	PC	7,150.00
157		981.52.521	• Round Handle for Glass Door • Door Thickness: 8 -10mm • Drill Hole: 48ø mm • Material: Stainless Steel • Finish: SS	Glass Handle	PC	4,950.00
158		981.10.040	• Round Handle for Glass Door • Door Thickness: 8 -10mm • Drill Hole: 55ø mm • Material: Brass • Finish: SS	Glass Handle	PC	4,950.00
159		981.20.120	Back to Back Knob for Shower Doors Base Material: Stainless Steel Size: 32mm X 40mm Suitable for 6mm to 10mm Glass	Glass Handle	PC	1,350.00
160		941.27.432	• Track For DESIGN ERGO 80 (Top) • Length: 3000mm • Material: Aluminium (Anodized)	Track	PC	6,050.00
161		943.34.008	• Pivot Set • Door Width: Max. 1000 mm • Door Height: Max. 3300 mm • Door Thickness: 35-68 mm • Door Weight: 100 kg • Material: Stainless Steel (316) • Finish: Satin	Weather Fold Fittings	SET	22,050.00



Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
162		943.34.137	• Offset Hinge Set With Handle • Door Width: Max. 1000 mm • Door Height: Max. 3300 mm • Door Weight: 100 kg • Material: Stainless Steel • Finish: Satin	Weather Fold Fittings	SET	13,650.00
163		943.34.076	• Intermediate Hanger Set • Door Width: Max. 1000 mm • Door Height: Max. 3300 mm • Door Thickness: 35-68 mm • Door Weight: 100 kg • Material: Stainless Steel (316) • Finish: Satin	Weather Fold Fittings	SET	36,580.00
164		943.34.101	• Standard Hinge Set With Handle • Non-mortise • Door Width: Max. 1000 mm • Door Height: Max. 3300 mm • Door Thickness: 35-68 mm • Door Weight: 100 kg • Material: Stainless Steel (316) • Finish: Satin	Weather Fold Fittings	SET	13,750.00
165		943.34.052	• End Hanger Set • Door Width: Max. 1000 mm • Door Height: Max. 3300 mm • Door Thickness: 35-68 mm • Door Weight: 75 kg • Material: Stainless Steel (316) • Finish: Satin	Weather Fold Fittings	SET	34,650.00
166		943.34.145	• Jamb Pivot • For: Doors Exceeding 2400mm • Material: Stainless Steel • Finish: Satin	Weather Fold Fittings	PC	7,150.00
167		943.34.162	• Standard Intermediate Hinge • For: Doors Exceeding 2400mm • Material: Stainless Steel • Finish: Satin	Weather Fold Fittings	PC	3,850.00
168		943.34.186	• Offset Intermediate Hinge • For: Doors Exceeding 2400mm • Material: Stainless Steel • Finish: Satin	Weather Fold Fittings	PC	3,850.00
169		911.62.671	• Concealed Flush Bolt • Height: 450mm • Width: 41mm • Stroke: 20mm • Material: Stainless Steel • Finish: SS Matt	Bolt	PC	16,500.00

Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
170		911.62.670 OR 911.62.501	• Concealed Flush Bolt • Height: 190mm • Width: 41mm • Stroke: 20mm • Material: Stainless Steel • Finish: SS Matt	Bolt	PC	10,500.00
171		943.34.940	• Upper Track For Weather Fold • Length: 4800mm • Size: 50x50mm • Material: Aluminium (Anodized)	Track	PC	11,550.00
172		943.33.740	• Bottom Track For Weather Fold • Size: 25x23x2mm • Length: 4800mm • Material: Aluminium (Anodized)	Track	PC	2,750.00
173		902.01.422	• Flush Handle • Dimension: 150 x 54 mm • Material: Stainless Steel • Finish: SS Matt	Handle	PC	1,050.00
174		902.01.412	• Flush Handle • Dimension: 150 x 54 mm • Material: Stainless Steel • Finish: SS Matt	Handle	PC	1,050.00
175		902.01.402	• SS Round Flush Handle • Diameter: 50mm Ø • Material: Stainless Steel • Finish: SS Matt	Handle	PC	850.00
176		950.06.291	• Track Seal for Weather Fold • Material: Plastic • Finish: Black	Seal	Mtr	190.00
177		950.06.201	• Frame Seal for Weather Fold • Material: Plastic • Finish: Brown	Seal	Mtr	650.00
178		950.06.211	• Door Seal for Weather Fold • Material: Plastic • Finish: Brown	Seal	Mtr	500.00
179		499.72.056	• Siren Equipment 100/B • Straight Sliding System (Wood) • Door Height: Max. 3000mm • Door Width: Max. 1500mm • Door Thickness: Min. 30mm • Door Weight: Max. 100kg	Sliding Fittings	SET	5,500.00
180		940.60.440	• Track For Siren Equipment 100/B • Length: 2000mm • Material: Aluminium (Anodized)	Track	PC	4,800.00

Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
181		941.10.004 OR 941.10.027	• Classic 120W (Wood) • Straight Sliding System • Door Height: Max. 3000mm • Door Width: Max. 1500mm • Door Thickness: Min. 30mm • Door Weight: Max. 120kg	Sliding Fittings	SET	6,600.00
182		941.10.921	• Track For Classic 120W • Length: 2100mm • Material: Aluminium (Anodized)	Track	PC	2,850.00
183		943.03.000	• Fold 84 EF (Wood) • Door Height: Max. 2400mm • Door Width: Max. 1000mm • Door Thickness: 35-50mm • Door Weight: Max.80kg • Per Door 40kg • Can be installed with Ball Bearing or Concealed Hinge	Sliding Fittings	SET	19,550.00
184		943.03.001	• Set of accessories for additional hinged door Fold 84 EF (Wood)	Sliding Fittings	SET	13,750.00
185		941.27.439	• Set of accessories for 2 additional doors Fold 84 EF (Wood)	Sliding Fittings	SET	4,950.00
186		940.99.932	• Fold 84 EF Track • Length: 3000mm	Track	PC	15,950.00
187		927.91.544	• Fold 84 EF Concealed Hinge • 4 Pieces required for each double door	Hinge	PC	8,135.00
188		940.59.003 OR 940.59.009	Classic 80M • Door Height: Max. 3000mm • Door Width: 900-1800mm • Door Thickness: Min. 25mm • Door Weight: Max.80kg • Smooth and Soft opening and closing • Track and sliding gear are completely concealed • Article is with: Kit, Track, Handle and all the necessery components	Sliding Fittings	SET	57,750.00
189		941.75.001	Classic 175 • Door Height: Max. 3500mm • Door Width: 900-1500mm • Door Thickness: Min. 35mm • Door Weight: Max.175kg • Gap from Track to Shutter: 26mm	Sliding Fittings	SET	14,850.00
190		941.75.930	Classic 175 Track • Length: 3000mm	Track	PC	9,050.00

Maximising
the value of space.
Together.

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
191		942.63.009	Classic 300 • Door Height: Max. 3600mm • Door Width: Max. 2000mm • Door Thickness: Min. 36mm • Door Weight: Max.300kg • Gap from Track to Shutter: Min. 27mm Max. 45mm	Sliding Fittings	**SET**	28,050.00
192		943.39.930	Classic 300 Track • Length: 3000mm	Track	**PC**	40,550.00
193		941.10.035 or 941.10.049	Classic 120 S (Synchro Sliding System) • Door Height: Max. 3000mm • Door Width: Min. 450mm • Door Width: Mix. 1000mm • Door Thickness: Min. 30mm • Door Weight: Max. 100kg • Gap from Track to Shutter: Min. 29mm Max. 32mm	Sliding Fittings	**SET**	33,550.00
194		941.10.930	Classic 120 S (Synchro Sliding System) and Classic 120W Track • Length: 3000mm	Track	**PC**	6,050.00
195		941.10.007/028	Classic 120 W with Double Sided Smuso • Door Height: Max. 3000mm • Door Width: Min. 600mm • Door Width: Max. 1500mm • Door Thickness: Min. 30mm • Door Weight: Max. 120kg • Gap from Track to Shutter: Min. 20mm Max. 28mm	Sliding Fittings	**PC**	20,900.00
196		941.10.602 OR 409.50.605	Classic 120 W with Double Sided Smuso Track • Length: 3000mm	Track	**PC**	6,050.00
197		940.99.091 (Sliding Fittings) 940.99.230 (Concealed Track) 940.99.731 (Trim Cover) 940.99.062 (End Trim Cover)	Design 80 L • Door Height: Max. 3200mm • Door Width: Max. 1500mm • Door Thickness: 8-10mm • Door Weight: Max.80kg • Concealed Top Track: 3000mm • Aluminium Trim Cover: 3000mm • End Trim Cover: 2Pcs (Order 2pcs of 940.99.062) • Concealed Track: 3000mm • Gap from Track to Shutter: Min. 4mm Max. 8mm	Sliding Fittings with Track	**SET**	63,000.00