







SL.	Image	Article No.	Product Specification	Category	U/M	MRP
1		805.20.055	**Wardrobe Lift** Minimum Installation Height : 880 mm For Internal Cabinet Width of 770-1200 mm Material: Steel & Plastic Finish : Black/Chrome Load Bearing Capacity: 1.6 – 10 kg	PULL DOWN HANGER	PC	22,500.00
2		805.00.350	**Top Mounted Hanger** Material: Steel Finish : Black Weight Bearing Capacity : 10 kg Integrated Soft Closing Mechanism Hook Points : 9 Dimension (W ×D ×H) : 84 ×444 ×156 mm	PULL OUT HANGER	PC	10,320.00
3		807.96.310	**Side Mounted Tie Rack** Material: Steel Finish : Black Weight Bearing Capacity : 10 kg Integrated Soft Closing Mechanism Hanging points : 9 Dimension (W ×D ×H) : 168 ×444 ×85 mm	PULL OUT HANGER	PC	10,475.00
4		807.95.311	**Multi-Function Trouser Pullout** Material: Aluminium/Steel/Plastic Finish : Black Weight Bearing Capacity : 30 kg Integrated Soft Closing Mechanism External Cabinet Width: 600mm Dimension (W×D×H): 564 ×475×140 mm Width Adjustment : 50 mm (25 mm on either side) Position of Braces : Fixed	TROUSER PULLOUT	PC	24,750.00
5		807.95.314	**Multi-Function Trouser Pullout** Material: Aluminium/Steel/Plastic Finish : Black Weight Bearing Capacity : 30 kg Integrated Soft Closing Mechanism External Cabinet Width: 900mm Dimension (W×D×H): 864 ×475×140 mm Width Adjustment : 50 mm (25 mm on either side) Position of Braces : Fixed	TROUSER PULLOUT	PC	31,270.00
6		807.95.304	**Pull Out Storage Box** Material : Aluminium, Wood, Felt, Steel Finish : Black Integrated Soft Closing Mechanism External Cabinet Width: 900mm Dimension (W×D×H): 864 × 475 × 80 mm Weight Bearing Capacity : 30 kg Width Adjustment : 50 mm (25 mm on either side)	PULLOUT BOX	PC	66,600.00
7		807.96.331	**Leather Storage Box** Material : Aluminium/Wood/Leather/Steel Finish : Black/Orange - Brown Leather Integrated Soft Closing Mechanism External Cabinet Width: 600mm Dimension (W×D×H): 564×475 ×80 mm Weight Bearing Capacity : 30 kg Width Adjustment : 50 mm (25 mm on either side)	PULLOUT BOX	PC	56,140.00
8		807.96.334	**Leather Storage Box** Material : Aluminium/Wood/Leather/Steel Finish : Black/Orange - Brown Leather Integrated Soft Closing Mechanism External Cabinet Width: 900mm Dimension (W×D×H): 864×475 ×80 mm Weight Bearing Capacity : 30 kg Width Adjustment : 50 mm (25 mm on either side)	PULLOUT BOX	PC	71,340.00

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
9		807.96.351	**PVC RATTAN BASKET** Material : Aluminium/PVC Rattan/Steel Finish : Black Integrated Soft Closing Mechanism External Cabinet Width: 600mm Dimension (W×D×H): 564 ×475×170 mm Weight Bearing Capacity : 30 kg Width Adjustment : 50 mm (25 mm on either side)	PULLOUT BASKET	PC	30,640.00
10		807.96.354	**PVC RATTAN BASKET** Material : Aluminium/PVC Rattan/Steel Finish : Black Integrated Soft Closing Mechanism External Cabinet Width: 900mm Dimension (W×D×H):864 ×475×170 mm Weight Bearing Capacity : 30 kg Width Adjustment : 50 mm (25 mm on either side)	PULLOUT BASKET	PC	36,285.00
11		807.95.351	**METAL BOX** Material : Aluminium/Perforated Steel/Steel Finish: Black Integrated Soft Closing Mechanism External Cabinet Width: 600mm Dimension (W×D×H):564×475 ×150 mm Weight Bearing Capacity: 30 kg Width Adjustment : 50 mm (25 mm on either side)	PULLOUT BOX	PC	28,770.00
12		807.95.354	**METAL BOX** Material : Aluminium/Perforated Steel/Steel Finish: Black Integrated Soft Closing Mechanism External Cabinet Width: 900mm Dimension (W×D×H):864×475 ×150 mm Weight Bearing Capacity: 30 kg Width Adjustment : 50 mm (25 mm on either side)	PULLOUT BOX	PC	32,740.00
13		807.95.321	**TROUSER PULL-OUT** Material : Aluminium/Steel Anti-skid Rubber Coating (Braces) Finish : Black Integrated Soft Closing Mechanism External Cabinet Width: 600mm Dimension (W×D×H): 564×475 ×60 mm Weight Bearing Capacity : 30 kg Width Adjustment : 50 mm (25 mm on either side) Position of Braces : Adjustable	TROUSER PULLOUT	PC	19,030.00
14		807.95.324	**TROUSER PULL-OUT** Material : Aluminium/Steel Anti-skid Rubber Coating (Braces) Finish : Black Integrated Soft Closing Mechanism External Cabinet Width: 900mm Dimension (W×D×H): 564×475 ×60 mm Weight Bearing Capacity : 30 kg Width Adjustment : 50 mm (25 mm on either side) Position of Braces : Adjustable	TROUSER PULLOUT	PC	24,000.00
15		807.95.322	**ROTATING SHOE RACK (JUNIOR)** Material : Aluminium/ Steel Finish: Black Weight Bearing Capacity: 4 kg per panel Soft Opening and Closing Rotation : 180° on both sides Minimum Internal Cabinet Height: 700 mm Minimum Internal Cabinet Depth: 400 mm Minimum Internal Cabinet Width: 800 mm Dimension (W×D×H): 700 ×340 ×700-775 mm	SHOE RACK	PC	58,060.00
16		807.95.323	**ROTATING SHOE RACK (SENIOR)** Material : Aluminium/ Steel Finish: Black Weight Bearing Capacity: 4 kg per panel Soft Opening and Closing Rotation : 180° on both sides Minimum Internal Cabinet Height: 2000 mm Minimum Internal Cabinet Depth: 400 mm Minimum Internal Cabinet Width: 800 mm Dimension (W×D×H): 700 ×340 ××2000-2250 mm	SHOE RACK	PC	93,535.00

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
17		807.95.361	**Shoe Rack Pull Out** Material : Aluminium/Steel Finish : Black Weight Bearing Capacity : 30 kg Integrated Soft Closing Mechanism External Cabinet Width: 600mm Dimension: 564×475 ×180 mm Width Adjustment : 50 mm (25 mm on Either Side)	SHOE RACK	PC	25,560.00
18		807.95.364	**Shoe Rack Pull Out** Material : Aluminium/Steel Finish : Black Weight Bearing Capacity : 30 kg Integrated Soft Closing Mechanism External Cabinet Width: 900mm Dimension: 864×475 ×180 mm Width Adjustment : 50 mm (25 mm on Either Side)	SHOE RACK	PC	37,340.00
19		804.21.303	**OVAL CLOTH HANGER RAIL** Material : Aluminium with Anti-skid Rubber Coating (Rail) Finish : Black Weight Bearing Capacity : 10 Kg Dimension (W) : 3000 mm	HANGER RAIL	PC	7,740.00
20		804.21.390	**SIDE BRACKET FOR OVAL CLOTH HANGER RAIL**	HANGER RAIL CONNECTOR	PC	585.00
21	 	271.95.285	**HIDE-AWAY BED FITTING (DOUBLE)** Material: Bed Fittings – Mild Steel Slats – Rubber/Wood Finish: Silver Grey Powder Coated – RAL 9006 Mechanism: Vertical Folding with 4 Gas Pumps Dimensions of Slatted Frame: 1620 (W) × 2000 (L) mm Mattress Thickness & Weight: 150 - 250 mm; 20 - 25 Kg Weight Carrying Capacity Slatted Frame Gas Pump (2 Nos.): 180 Kg Each Footboard Gas Pumps (2 Nos.): 10 Kg Each Cycle Testing: 50,000 Cycles Integrated Soft Opening Mechanism Automatic Functioning and Positioning of the Footboard while Opening Cabinet carcass and mattress are not included in the bed fitting set Carcass should be securely fixed to the wall before starting the installation of hardware.	BED FITTING	SET	238,675.00
22	 	271.95.276	**HIDE-AWAY BED FITTING (SINGLE)** Material: Bed Fittings – Mild Steel Slats – Rubber/Wood Finish: Silver Grey Powder Coated – RAL 9006 Mechanism: Vertical Folding with 4 Gas Pumps Dimensions of Slatted Frame: 92 (W) × 2000 (L) mm Mattress Thickness & Weight: 150 - 250 mm; 12 - 15 Kg Weight Carrying Capacity Slatted Frame Gas Pump (2 Nos.): 100 Kg Each Footboard Gas Pumps (2 Nos.): 10 Kg Each Cycle Testing: 50,000 Cycles Integrated Soft Opening Mechanism Automatic Functioning and Positioning of the Footboard while Opening Cabinet carcass and mattress are not included in the bed fitting set Carcass should be securely fixed to the wall before starting the installation of hardware.	BED FITTING	SET	208,035.00

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
23		568.60.710	**Ironing board (Ironfix)** Cover: Grey stripes Finish: Powder Coated, White, RAL 9016 Version: Folding Material: Steel Cabinet Width: 500mm Cabinet Depth: 500mm	Iron Table	PC	46,500.00
24		568.60.793	**Ironing board (Ironfix)** Cover: Grey stripes Finish: Powder Coated, White, RAL 9016 Version: Folding Material: Steel Cabinet Width: 520mm Cabinet Depth: 350mm	Iron Table	PC	42,500.00
25	 	421.68.423	**TV Lift** 3 section telescopic lift for compact installation height Min-max. lift capacity in standard installation: 5-65 kg Min-Max. lift capacity for upside down position: 5-29 kg Input power: 110-240 VAC/ 50-60 Hz Remote controlled with RF and manual switch Adjustable stroke Automatic reverse function for improved safety Lid lifter and TV mounting brackets included Vesa fixing: 600 x 400, 600 x 200, 600 x 100, 400 x 400, 400 x 200,400 x 100, 300 x 300, 200 x 200, 200 x 100	TV Lift	PC	214,575.00
26		432.02.191 (300mm) 432.02.192 (350mm) 432.02.193 (400mm) 432.02.194 (450mm) 432.02.195 (500mm)	**Side Mounted Telescopic Runner** Full Extension with Integrated Soft Close Material: Steel Weight Carrying Capacity: 40 KG Maximum Available Size: 300,350,400,450,500mm	DRAWER SLIDE	PR	1,540.00/= (300MM) 1,750.00/= (350MM) 1,870.00/= (400MM) 2,070.00/= (450MM) 2,200.00/= (500MM)
27		643.12.201	**Swing-Up Table Top Tavoflex** Integrated Soft Closing Mechanism Finish: White Aluminium, RAL 9006 Material: Steel Load Bearing Capacity: 5.0 kg Installation Width: 698 mm Recommended Panel Thickness: 16.0 mm Minimum Gap For Fixed Plate 6 mm	Table Top	PC	12,050.00
28		646.31.000	**Table Top Swivel Fitting** Width: ≤1,200 mm Depth: ≤600 mm Dimensions Panel Thickness: TOP ≥25 mm SIDE ≥28 mm	Table Top	PC	7,500.00
29		407.90.220 + 407.90.241	**Straightening Fitting, Planofit** For Door Height ≤2400 mm For Door Thickness ≥16 mm Distance To Cup ≤1900 mm	Shutter Straightener	SET	4,090.00

SL.	Image	Article No.	Product Specification	Category	U/M	MRP
30		401.30.016	Slido F-Line18 50A For 2 Doors With Soft Close • Door Height: Max. 2400mm • Door Width: 1200mm • Door Thickness: Min. 16-22mm • Door Weight: Max.50kg	Sliding Fittings	SET	4,800.00
31		401.30.611	Surface Mounted Top Track For Slido F-Line18 50A With Soft Close 2500mm	Track	PC	3,900.00
32		401.30.614	Surface Mounted Bottom Track For Slido F-Line18 50A With Soft Close 2500mm	Track	PC	2,600.00
33		401.30.031	F-Line18 50A Cover Cap Silver Anodized 2.5m	Cover Cap	PC	990.00
34		231.98.621	**Kabi-Block Digital Furniture Lock** Access Modes: Capacitive Fingerprint (20 Unique Accesses +Ekey) Locking Modes: Auto Locking Door Thickness: 14 to 27 mm Material: ABS Plastic Suitable For Wood Based Boards Finish: Matt Black Application: Openable Cabinet/ Drawer Lock Batteries: 3 x AAA Batteries Max. Tensile Strength: 30KG 5V USB Type-C Power Supply For Emergency	Lock	PC	5,400.00
35		231.98.625	**Kabi-Iris Digital Furniture Lock With App** Access Modes: Capacitive Fingerprint (20 Unique Accesses +Ekey) Locking Modes: Auto Locking Door Thickness: 14 to 26 mm Material: Zinc Alloy Suitable For Wood Based Boards Finish: Matt Black Application: Openable Cabinet and Drawer With Pull Knob Batteries: 3 x AAA Batteries Max. Tensile Strength: 30KG 5V USB Type-C Power Supply For Emergency	Lock	PC	7,800.00
36		231.98.633	**Kabi-Flow Digital Furniture Lock** Access Modes: Capacitive Fingerprint (20 Unique Accesses +Ekey) Locking Modes: Auto Locking Connectivity: Wireless Connectivity To Lock Body At Frequency Of 2.4 GHz Single Fingerprint Scanner Can Be Connected To a Maximum Of 4 Lock Bodies Material: ABS Plastic Suitable For Wooden Doors and Glass Doors With Aluminium Profiles (min profile width: 27 mm) Finish: Matt Black Application: Swing and Sliding Cabinet and Wardrobe Doors Batteries: 3 x AAA Batteries Max. Tensile Strength: 45KG 5V USB Type-C Power Supply For Emergency	Lock	PC	9,100.00